

~~SECRET~~

~~CONFIDENTIAL~~

CORONA MISSION 9021

OPERATIONAL BRIEFING

1. This is the first operational CORONA briefing for mission 9021.
2. It is to be a 4 day orbit with an RTA for recovery at 2142 EDT, 7 August (next Monday night). Recovery is possible on any of the three preceding days between the times of 2157 EDT and 2248 EDT.
 - a. To obtain a maximum of 3 hours of daylight in the recovery area, the 1st and 4th days will provide that margin.
 - b. the 2nd and 3rd days will provide 2 & 37 hours and 2 & 11 hours respectively.
 - c. All of the recovery passes fall within the 24 - hour surface recovery capability area and within this area the SCUBA team can be deployed to the capsule within one hours' time after the impact point has been determined.
 - d. A decision to recover has to be made 5 passes (or 7½ hrs.) prior to recovery time to effectively utilize the entire recovery force. To obtain maximum utilization of the force the decision must be made 8 passes (or 12 hrs.) prior to recovery time.
3. 16,087 feet of film would be needed to photograph all of the area that has been programmed to be filmed. We are film limited to 7229 feet of available film. We are over-programmed 122%.

1st day - 53%	
2nd day - 65%	118%
3rd day - 53%	171%
4th day - 51%	222%

4. A command decision is to be made at this briefing to either operate or not operate the camera on passes 3D and 5D. The two passes are controlled together so that if one pass is deemed fruitful to operate the camera over, both will have to be photographed. The two passes require 5.5% of the total film. Passes 1A, 2A and 2D have been programmed to have the camera on over these areas at launch. This is a precaution to insure that the camera will operate over areas of interest in event command control cannot be obtained at the various command tracking stations. These passes will use 11.5% of the film. A re-cap shows that if the decision is made to operate on 3D and 5D, 17% of the film will be used upon completion of the 5D pass.

Declassified and Released by the NRO

In Accordance with E.O. 12958

on NOV 20 1997

~~SECRET~~

~~SECRET~~

5. The decision message has to be in COMMO's hands by 2000 local time. The MENU board lists additional info that should be considered in the plans as the mission progresses.

6. WX and Intelligence will present their briefings.

~~SECRET~~

~~SPECIAL HANDLING REQUIRED~~

6 January 1961

MEMORANDUM FOR DEPUTY DIRECTOR (PLANS), CIA

SUBJECT: Revised DISCOVERER Schedule

1. Reference memorandum, subject as above, dated 10 December 1960.
2. This memorandum confirms the revision to the DISCOVERER program resulting from referenced memorandum and further discussions on 15, 16 December 1960. The approved schedule is attached hereto.
3. Please take necessary action to implement the attached schedule and to notify the proper personnel.

JOSEPH V. CHARTK
Under Secretary of the Air Force

1 Incl
Discoverer Schedule
dtd 8 Jan 1961

Info copy to: Lt Gen B.A. Schriever

~~XXXXXXXXXXXXXXXXXXXX~~
Col Paul Wortham

~~XXXXXXXXXXXXXXXXXXXX~~
Maj H. Howard (SARUS File cy)

~~SPECIAL HANDLING REQUIRED~~

Copy No. 3 of 6 cys.

~~SPECIAL HANDLING REQUIRED~~

DISCOVERER SCHEDULE

6 January 1961

Launch No.	Agency	Payload Type	Date	Pad
20	1104	A	21 Jan	4
21	1102	EM-2	2 Feb	5
22	1105	C	3 Mar	4
23	1106*	A	21 Mar	5
24	1107	C	25 Apr	4
25	1108	C	9 May	1
26	1109	C	18 May	5
27	1110	A	June	4
28	1111	C	June	1
29	1112	A	July	5
30	1113	C	July	4
31	1114	A	Aug	1
32	1115	C	Aug	5
33	1116	C	Aug	4
34	1117	A	Sept	1
35	1118	C	Sept	5
36	1119	C	Oct	4
37	1120	C	Oct	1
38	1025*	Bio	Nov	4

* Although 1106 is scheduled as shown, 1025 will be prepared for possible launch on 21 March instead of 1106. If 1104 is successful, then 1025 will replace 1106, which will then be rescheduled later as an operational launch. If 1104 is not successful, 1106 and 1025 will remain as shown. Decision will be made on 17 January or as soon as possible thereafter.

~~SPECIAL HANDLING REQUIRED~~

SPECIAL HANDLING

19 January 1961

MEMORANDUM FOR DEPUTY DIRECTOR (PLANS), CIA

SUBJECT: Discoverer Schedule

1. Reference my memoranda, subject as above, dated 10 December 1960, and 6 January 1961.

2. This memorandum confirms the further revision to the Discoverer program as outlined below:

a. SAMOS is now scheduled for launch 26 January 1961. Since the tracking station can work only one vehicle at a time, 1104 will be rescheduled at the earliest possible date subsequent to SAMOS launch.

b. 1102 will be rescheduled for launch subsequent to launch of 1104.

c. Continue to schedule both 1106 and 1025 for the same launch date. The criteria for decision is whether pictures were obtained from earth and stellar oriented cameras in 1104, with decision to be made within a few days subsequent to recovery, essentially right after film processing. Hold commitment to GE until decision is made and accept the resulting slippage on 1025 in schedule.

3. Please take necessary action to implement the above changes and to notify the proper personnel.

(Signed)

JOSEPH V. CHARYK

Under Secretary of the Air Force

Info cy to: L/G Schriever

Col Worthman

Maj Howard

GENERAL INVESTIGATIVE
DIVISION

~~TOP SECRET~~

OSR 1064
Copy 2 of 5 copies
25 January 1961

MEMORANDUM FOR: Mr. John Parangosky, IEP-50/P

SUBJECT: Trip Report - [REDACTED]

1. Purpose: To attend a conference at Itak Corporation on the status of the Gill program.

2. General:

a. Gill Status - The April date previously established appears to still be possible. The only real cause for concern was the lack of decision on which clock to use. The decision on using the "A" clock had not been communicated to Itak in time for the meeting. The Itak group knew almost nothing about the "A" clock and were concerned with counting problems, etc., if the "A" clock were chosen.

b. Characteristics of the "Boston" Clock

- (1) Accuracy - 1/200th of a second. This is accomplished by coupling to timing "pips" (200 per second), reading clock to tenths of seconds, and interpolating by counting timing "pips".
- (2) Reliability - No operational experience, but tests have shown very high reliability.
- (3) Reset Capability - Can be reset in orbit if command channel can be made available.
- (4) Drift - 1×10^{-6} (same as C¹).
- (5) Readout - Clock or digital.

c. Gill Characteristics:

- (1) The following camera characteristics differ from C¹ and are of interest to TIB for computer program changes and exploitation planning.

This document contains information
referring to Project **CORONA**

~~TOP SECRET~~

- (2) There are 200 timing "pips" per second instead of 160 "pips" per second on the C¹.
- (3) The lens system rotates continuously and the chimney oscillates.
- (4) The sweep direction is opposite to that in the C¹. (C^{III} sweeps from left to right in the camera.)
- (5) Lens #1 resolves 475 lines per millimeter on the bunch and 150 lines per millimeter on S.O. 1221 film.
- (6) Sweep time is approximately 1 1/4 slower.
- (7) A lens - "flattener" - is located right at the image plane. It has its own cam for IMC.

- d. IMC Problems - Some time was spent with Mr. Wolf of Itak discussing IMC on C¹ and C^{III}. Previously a great deal of confusion existed on whether IMC or FIC was provided. Most of the data available indicated FIC, though IMC seemed to be the most plausible. The discussion resolved the problem - IMC and not FIC is provided on C¹ and C^{III}.
- e. IMSD Computer Services - Messrs. Britton and Fortson talked about the possibility of IMSD providing FIC computer services. This seems to be a very interesting possibility. IMSD not only has the equipment and mathematicians, astronomers, etc., but also has people already cleared operationally and familiar with photogrammetric analysis. The undersigned recommends IMSD be contacted to further this discussion.
- f. Camera Relative Orientation - It is believed that the present system of camera orientation accomplished on the West Coast is useful only to determine the orientation between the vehicle and the camera system and does not determine the relative orientation between the three cameras. The orientation procedure now accomplished by IMSD should be evaluated and the requirement for the vehicle/camera orientation should be reviewed.

FIC must communicate with DFD-IB/F concerning the continued requirement for camera logs for the C^{III} program. This log must include depression angles of the horizon cameras, as the present C¹ log does.

FIC/TIBD/TIB

Original - Addressee
2 - Major Watson

3 - Chief, TIBD/FIC
4 - Chief, TIBD/TIB/TIC

1/5 - RI Files

DATE: 0156Z 31 JAN 61

~~SECRET~~

TO: DIRECTOR
FROM: [REDACTED]
SUBJECT: OPS (1,2,3,4.)
INFO: S/C (5)
JM

Handwritten initials

PRIORITY
PRIORITY

IN 4426

TOR: 0156Z 31 JAN 61

TO: ADIC 2870

NO NITE ACTION

REF: ADIC 7279 (OUT 81858)

This document contains information referring to Project A360N

FOR MESSAGES PARANGOSKY AND KIEFER FROM COLONEL BATTLE
PLEASE PASS TO DR. CHARYK.

DURING A ROUTINE FLOW CHECK OF THE THOR A FUEL LEAK WAS FOUND WHICH MAKES IT NECESSARY TO REPLACE THE THOR FUEL DUCT. THIS REQUIRES REMOVAL OF THE THOR FROM THE LAUNCHER, REPLACEMENT OF THE FUEL DUCT, AND REPEAT OF ELECTRICAL SYSTEMS AND FLOW CHECKS ALREADY ACCOMPLISHED. SINCE LAUNCH OF 1104 WAS BEING HELD FOR SAMOS THE FLOW CHECK HAD NOT PREVIOUSLY BEEN MADE.

OUR WORK SCHEDULE CALLS FOR A MAXIMUM EFFORT (7 DAYS OF 24 HR WORK) WHICH WILL PLACE 1104 AT R-4 DAY ON 6 FEBRUARY WITH LAUNCH POSSIBLE ON 10 FEBRUARY. SINCE THIS TIME SCALE ALLOWS FOR NO DELAY OR TROUBLE A LAUNCH DAY OF 14 FEBRUARY CAN BE MORE CONSERVATIVELY EXPECTED.

Handwritten signature

~~SECRET~~

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED.

Copy No.

..PAGE 2

~~SECRET~~

IN 44426

OUR PRESENT INSTRUCTIONS REQUIRE US TO PROCEED WITH PREPARATIONS FOR LAUNCH OF 1104 BEFORE 1102. ON THIS SCHEDULE, 1102 WILL LAUNCH 6 DAYS AFTER 1104. HOWEVER, 1102 IS PRESENTLY AT R-9 DAY AND WITH NO MAJOR TROUBLE COULD BE LAUNCHED ON 5 FEBRUARY; PROVIDED IT WERE ACCORDED PRIORITY OVER 1104.

IF THESE CIRCUMSTANCES SHOULD ALTER THE DECISION ON ORDER OF LAUNCH, WE WOULD BE ABLE TO FOLLOW THE ALTERNATIVE IF SO DIRECTED BY NOON ON 1 FEBRUARY.

This document contains information
referring to Project ARCEN

END OF MESSAGE

~~SECRET~~

002-1060

Copy 6 of 6

2 February 1961

MEMORANDUM FOR THE RECORD

SUBJECT: Trip Report

1. The following locations were visited by Major [REDACTED] during the period 11 January through 25 January 1961:

- (a) [REDACTED] Palo Alto, California
- (b) MIS and Launching Facilities, Vandenberg AFB, California
- (c) SSG, Sunnyvale, California
- (d) Detachment 8, Edwards AFB, California

2. The following individuals were contacted during the period:

- (a) Lt Colonel G. Bandy, Headquarters, Palo Alto

3. Recommendation was made and action taken to have fork lift facilities available to off-load Retro Rocket material from Headquarters C-54 at Vandenberg AFB. A base fork lift driver is to be made available for this purpose also.

4. The outflow is now complete and ready for transporting the AFMCM payload to Houston via commercial airlines. It is not necessary to arrange for the fast transport of this payload as is done with COSMA package etc.

~~SECRET~~

~~SECRET~~

- 2 -

to the fact that the primary information obtained from the ANCOH package is not intelligence data and it will also require considerable time-consuming action by Antennas before results will be obtained.

5. The reason for trains delaying launches was explained and security does not enter into the picture as previously believed throughout Headquarters. It is primarily a range safety problem, and although the SF Railroad will not recognize such action via the written word, they offer no objection to such launchings with their equipment in the area when the countdown reaches approximately 07 minus 10-15 minutes.

6. Fale Alto was alerted to Headquarters recommendations for two COMCHA missions to be launched during March due favorable weather conditions over area of primary interest. Mr. Fartman was notified that this lead time would allow their efforts to be channeled so that his people could go either way, depending on outcome of future scheduling decisions from Dr. Chazy's office.

7. Scheduling procedures, as presently carried out, are cumbersome and confusing. As a schedule is published and sent to the field for implementation, such unpredictable occurrences as system and subsystem checkout failures, instrument malfunctions, launching pad break down, etc., immediately induce schedule slippage. These factors, in turn, have to be relayed back to Dr. Chazy's office for schedule modification. In the meantime, field personnel continue working toward target dates that have already slipped until new launch schedule dates are again forwarded from Dr. Chazy's office. They cannot follow their own recommendations due to impossibility of assuring themselves that higher authority will approve their recommendations. Thus the same events occur again. It is possible that Headquarters COMCHA missions for the month of March will be in jeopardy due to this unfortunate scheduling procedure. Scheduling should be accomplished on the job by RND. Higher authority should intervene only if clearly defined conflict of interests occur between separate government agencies or projects.

8. It was determined that a Headquarters communications man should be sent to Fale Alto for duty during the periods of multi-day COMCHA operations. This will not be necessary for ANCOH missions. However, for continuity the same person should be sent each time.

9. Plans were being formulated to gear the Sunnyvale facility to accomplish the MAB testing that is presently being done at Vandenberg. Reasoning is that this will eliminate certain duplicate testing. Reliability in first series has increased. First actual testing of WDR, ANCH, and payload will be accomplished as first pad systems test. Payload testing will be simulated prior to this test. Emergency security planning to effectively deny this new activity at Sunnyvale is being accomplished by ~~XXXXXXXXXX~~. The Vandenberg MAB facility will continue

~~SECRET~~

~~SECRET~~

- 3 -

to be manned and equipped to handle additional testing and maintenance as might be required by results of the pad system run.

10. The ANSON Section has moved into a new building. This move has eliminated congestion in the ~~XXXXXXXXXX~~ caused by the lack of space due to both CORONA and ANSON work being done in the same room. Minor security problems were effectively handled by ~~XXXXXXXXXX~~.

11. As of 25 January, the policy was to delay an ANSON launch if ground telemetry indicated that the clock channel was out. Further decisions were to be made as to which of the other channels could be out and the launching still stay on schedule.

12. Pictures of the Mark V capsule were taken and will be forwarded to Lt/Colonel Ahola, FMR, Hawaii, for his information and necessary action before recovery time of the ANSON package.

13. Witnessed the preparation for accomplishing the Patie Test of the ANSON camera package. This test is in addition to the HATS Test and does not have to be used with the CORONA instrument. The Patie Test determines the measured relationship between the Stellar and main cameras. It was explained why the launch limits of the ANSON shots differ from the CORONA shots. Fifty degrees of angular solar illumination into the lens of the Stellar camera is the limit that has been established whereby Stellar photography can be successfully obtained. This angular illumination is not the solar altitude above the horizon, as it is when solar angle is computed for the CORONA and IDEALIST missions. The limits imposed by the Sun Position Indicator, as determined by NED, remain the same as the limits in the CORONA program.

14. Attended the discussion that determined the cover story that will be used in the STU and tracking station when unclassified personnel question the difference in telemetry between ANSON and CORONA. For the present they are to be told that it is due to malfunctioning in the payload components and further investigation is warranted.

15. Was escorted into the clean room and witnessed the ANSON instrument being tested during a system run. The test was being conducted under accelerated conditions so as to preserve the cycle life of the instrument.

16. Toured the STU. The vital control center with its multiple huge television screens, upholstered chairs, wall-to-wall carpeting, sound-proofing, and vast communications console was in vivid contrast to the Headquarters control center where operational command decisions are made during a mission. Was shown the room where the quality readout of SAMOS data will be accomplished. Further readout will be done at Westover AFB.

~~SECRET~~

17. There has been no complication in passing the Bio-Medical packages from the recovered capsules to interested parties to date. The only question raised so far has been an inquiry as to what material was packed around the Bio packages that might neutralize the Bio package data. ~~XXXXXXXXXXXXXXXXXXXX~~ Bio Expert, has recently skirted the security implications of these questions. Preliminary reports indicate that the recipients of Bio packages are well satisfied with findings. University of Chicago, Randolph Aviation School of Medicine, and Cambridge Research Laboratories have all benefited from these missions.

18. The re-entry of Navigator V "Lansdown George" is scheduled for 20 February as determined by Space Truck Agency (except tab on all outstations). A probability factor of .0039 has been determined by Lockheed studies for the vehicle to fall into competitive territory in a recognizable condition.

19. ~~XXXXXXXXXXXXXXXXXXXX~~ Sink Flag Report, presented a study that determined that normally "P" minus 15 days should be the latest date to change the life of the Sink Flag. Fully a very strong recommendation should be presented before changing the life as late as "P" minus 3 days. To lower the limits would seriously hamper completion of countless procedures due to the fact that his changing necessitates going into the inner workings of the capsule, not merely drilling into the capsule from the outside.

20. Assisted Lt/Colonel Murphy in the preparation of the initial planning data for the next GORNA mission. The very important V/E computations were fully and carefully explained and it was brought out that the actual file corruption computed in flight is accurate within five percent. This will have a bearing on future Headquarters Command decisions.

21. During the tour at Vandenberg, we ascended through the NAB and "I" building, shown the 1085 engine that is presently being rebuilt to meet specifications of the new THOR booster. The payload of this vehicle was to be the well publicized "money shot" if it had been launched last December. Was also shown 1102, the engine for the next MIDAS shot, and the follow-on 1103B ARMS. Later in the day we visited the launch pad of the ARMS II, which was successfully launched 31 January. The security precautions and the action taken to complete the actual setting of the GORNA instrument with the ARMS was illustrated and explained by ~~XXXXXXXXXXXX~~ as we toured the pad from which the first ARMS launch will be made.

22. During the discussion with Lt/Colonel Murphy, the HF capability of the launching of THOR boost vehicles was explained. It is a completely automatic, inherent condition that can actually extend the upper-launch limits of GORNA missions 9 to 13 minutes, the length of time required for the automatic combustion. This capability will be used whenever necessary.

~~SECRET~~

- 5 -

21. Headquarters is setting up a channel to obtain certain color flare information that will be used in arriving at a determination as to when color flare activity will negate mission results.

24. During my visit to Edwards AFB, was amazed at the outstanding improvement in the condition and utilization of the facilities. Major [redacted] new operations officer, and Major [redacted] new flight planner, were very effective considering the fact that it was their first participation in an actual launching of a company BQM-105. Two things that they both learned was that the flight planning room should never be a gathering place for personnel immediately prior to launching a mission, and that there is always the possibility of receiving an approval for a flight as late as one to five minutes before scheduled take-off. I am certain that their activity will be directed towards such a possibility in the future.

25. A firm policy and procedure for obtaining ILL coverage should be established at Headquarters and WAF level. The unnecessary communications, resulting from establishing such coverage 24 hours in advance, could easily have resulted in a serious compromise had the flight been other than an unclassified operation.

26. Due to the mutual benefit derived by Headquarters and field, it is recommended that such a field trip, although of shorter duration, be made at least four to six times a year.

~~SECRET~~

[redacted]
Major [redacted]
Operations Officer

Distribution:

- Copy 1 - CR/Plans/WFO
- 2 - AC/WFO-OPS/T
- 3 - COM/WFO/WFO
- 4 - CR/OPS/WFO [redacted]
- 5 - WFO/Secur [redacted]
- 6 - WFO/CI

~~SECRET~~

CLASSIFIED MESSAGE

DATE: 1800Z 15 FEB 61

~~SECRET~~

ROUTING

1	
2	
3	

TO : DIRECTOR

FROM :

ATTN: OPS (1,2,3,4)

INFO : S/C (5)

VP

TOR: 1838Z 15 FEB 61

OPERATIONAL IMMEDIATE

OPS IMMEDIATE

IN 46244

TO

[REDACTED]

INFO PRIORITY

[REDACTED]

DATE

[REDACTED]

REF:

FOR MESSRS PARANGOSKY, [REDACTED]

THE FOLLOWING NORTH STAR PRESTO REPORT TO CHIEF OF STAFF, HQ USAF AND COMMANDER, HQ ARDC IS QUOTED FOR YOUR INFORMATION.

QUOTE:

WDZYD 14-2-312; SUBJECT: NORTH STAR PRESTO REPORT, LAUNCH OF DISCOVERER XX AND XXI. THIS MESSAGE IN THREE PARTS. PART I. DISC XX, AGENA 1104 IS RESCHEDULED FOR 2000Z 17 FEB. ALL PARAMETERS AND RECOVERY INFORMATION REMAIN THE SAME AS GIVEN IN OUR NORTH STAR REPORT WDZYD 30-1-286 OF 30 JAN. PART II. 1. DISC XXI, AGENA 1102, RM 2 IS SCHEDULED FOR LAUNCH AT 1930Z 18 FEB FROM PAD 75-3-5, VANDENBERG AFB. 2. ORBITAL PARAMETERS ARE:

1ST BURN

AFTER SECOND BURN

- | | |
|----------------------|-----------|
| A. PERIOD - 92.0 MIN | 94.76 MIN |
| B. APOGEE - 334 SM | 492 SM |
| C. PERIGEE - 130 SM | 141 SM |

~~SECRET~~

This document contains information relating to Project [REDACTED]

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED.

Copy No.

~~SECRET~~

[REDACTED] PAGE TWO

D. ECCENTRICITY - .024 .042

E. INCLINATION - 81.8 DEG 81.8 DEG

3. A RESEARCH AND DEVELOPMENT MIDAS RADIOMETER PAYLOAD WILL BE USED TO OBTAIN BACKGROUND DATA IN THE CARBON DIOXIDE AND WATER ADSORPTION BANDS OF THE INFRARED SPECTRUM. RESTART EXPERIMENT WILL BE PERFORMED OVER ALASKA ON FIRST ORBIT. APL DOPPLER AND TRACKING LIGHTS WILL NOT BE CARRIED. 4. NO RE-ENTRY IS PLANNED. ACTIVE WORKING LIFE OF PAYLOAD IS TWO DAYS. 5. RECOVERY FORCES WILL NOT BE UTILIZED. TRACKING STATIONS WILL BE USUAL DISCOVERER STATIONS, PLUS AMR TRACKING STATIONS ONE AND TWELVE, SPACETRACK,

[REDACTED]

6. DISCOVERER XXI WILL UTILIZE MD-3, BLOCK I (150,000 LBS THRUST) BOOSTER ENGINE, AND AGENA 3 SECOND STAGE. PART III. THE ABILITY TO LAUNCH DISC XX AND XXI ON CONSECUTIVE DAYS IS POSSIBLE DUE TO THE FOLLOWING CONDITIONS: (1) THE DELAYS IN THE LAUNCH OF DISC XX DUE TO SAHOS INTERFERENCE AND TECHNICAL PROBLEMS ENCOUNTERED HAVE PERMITTED THE PREPARATION OF DISC XXI TO CATCH UP TO DISC XX. (2) THE TEST OBJECTIVES OF THE TWO VEHICLES ARE DIFFERENT. DISC XX IS A STANDARD RECOVERABLE MISSION WHILE DISC XXI HAS A NON-RECOVERABLE MIDAS SUPPORT RADIOMETRIC PAYLOAD. (3) THE T/11 READOUT REQUIREMENTS OVER THE TRACKING STATIONS ARE DIFFERENT AND BY PROPER LAUNCH TIMING OF DISC XXI, THE PROBABILITY OF BOTH VEHICLES BEING OVER A TRACKING STATION AT THE SAME TIME IS VERY SMALL. (4) THE 6394TH TEST WG IS NOW OPERATING FROM THEIR NEW CONTROL CENTER WHICH IS ~~ADQUATELY EQUIPPED TO HANDLE MULTIPLE SATELLITE OPERATIONS.~~ END OF QUOTE.

----- END OF MESSAGE

SECRET

- 3 -

to be taken to fully advise the Agency representative who is on duty during COMINT and SIGINT operations, with his responsibilities and status while in Egypt.

19. Coordinated with NSD and presented their office with positive other clear data that they were not being advised. This will aid their technicians in computing other clear indicators that could affect launching of Elavover missions.

~~_____~~
Special Agent Smith, NY-247

Distribution:

- 1 - Ch/Spec/Prod/IN
- 2 - NY-247-247
- 3 - Brown/NSD Adm: ~~_____~~
- 4 - Ch/Spec/Prod/NSD
- 5 - NY-247

SECRET